

WEST Search History

10/629, 241

Hide Items

Restore

Clear

Cancel

DATE: Saturday, July 14, 2007

Hide?	<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>
		DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR	
<input type="checkbox"/>	L18	L14 & L16	72
		DB=PGPB; PLUR=YES; OP=OR	
		(support\$3 or hold\$3 or ring or barrel\$1 or tub\$4) SAME ((pin\$1 or follower\$1 or stud\$1 or groove\$2) WITH adjust\$4) SAME ((pin\$1 or follower\$1 or stud\$1)	
<input type="checkbox"/>	L17	WITH stop\$4) SAME ((outer or inner) NEAR10 (circumference or peripher\$4)) SAME axi\$4 SAME rotat\$7 SAME ((mov\$5 or stop\$4) WITH (section\$3 or portion\$1)).CLM.	2
		DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR	
		(support\$3 or hold\$3 or ring or barrel\$1 or tub\$4) SAME ((pin\$1 or follower\$1 or stud\$1 or groove\$2) WITH adjust\$4) SAME ((pin\$1 or follower\$1 or stud\$1)	
<input type="checkbox"/>	L16	WITH stop\$4) SAME ((outer or inner) NEAR10 (circumference or peripher\$4)) SAME axi\$4 SAME rotat\$7 SAME ((mov\$5 or stop\$4) WITH (section\$3 or portion\$1))	177
		DB=PGPB; PLUR=YES; OP=OR	
		(support\$3 or hold\$3 or ring or barrel\$1 or tub\$4) SAME ((pin\$1 or follower\$1 or stud\$1) WITH stop\$4) SAME adjust\$4 SAME groove\$2 SAME ((outer or inner) NEAR10 (circumference or peripher\$4)) SAME axi\$4 SAME rotat\$7 SAME ((mov\$5 or stop\$4) WITH (section\$3 or portion\$1)).CLM.	
<input type="checkbox"/>	L15		1
		DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR	
		(support\$3 or hold\$3 or ring or barrel\$1 or tub\$4) SAME ((pin\$1 or follower\$1 or stud\$1) WITH stop\$4) SAME adjust\$4 SAME groove\$2 SAME ((outer or inner) NEAR10 (circumference or peripher\$4)) SAME axi\$4 SAME rotat\$7 SAME ((mov\$5 or stop\$4) WITH (section\$3 or portion\$1))	
<input type="checkbox"/>	L14		148
		(support\$3 or hold\$3 or ring or barrel\$1 or tub\$4) SAME ((pin\$1 or follower\$1 or stud\$1) WITH stop\$4) SAME adjust\$4 SAME groove\$2 SAME ((outer or inner) NEAR10 (circumference or peripher\$4)) SAME axi\$4 SAME rotat\$7 SAME (mov\$5 WITH (section\$3 or portion\$1))	
<input type="checkbox"/>	L13		117
		(support\$3 or hold\$3 or ring or barrel\$1 or tub\$4) SAME ((pin\$1 or follower\$1 or stud\$1) WITH stop\$4) SAME adjust\$4 SAME groove\$2 SAME ((outer or inner) NEAR10 (circumference or peripher\$4)) SAME axi\$4 SAME rotat\$7 SAME mov\$5 SAME (section\$3 or portion\$1)	
<input type="checkbox"/>	L12		233
		(support\$3 or hold\$3 or ring or barrel\$1 or tub\$4) SAME ((pin\$1 or follower\$1 or stud\$1) WITH stop\$4) SAME adjust\$4 SAME groove\$2 SAME ((outer or inner) NEAR10 (circumference or peripher\$4)) SAME axi\$4 SAME rotat\$7	
<input type="checkbox"/>	L11		290
		(support\$3 or hold\$3 or ring or barrel\$1 or tub\$4) SAME (pin\$1 or follower\$1 or stud\$1) SAME adjust\$4 SAME groove\$2 SAME ((outer or inner) NEAR10 (circumference or peripher\$4)) SAME axi\$4 SAME rotat\$7 SAME stop\$4	
<input type="checkbox"/>	L10		946

┐	L9	L8 & L7	150
┐	L8	(support\$3 or hold\$3 or ring or barrel\$1 or tub\$4) SAME (pin\$1 or follower\$1 or stud\$1) SAME adjust\$4 SAME groove\$2 SAME ((outer or inner) NEAR10 (circumference or peripher\$4)) SAME axi\$4 SAME rotat\$7	3306
┐	L7	(support\$3 or hold\$3 or ring or barrel\$1 or tub\$4) SAME ((pin\$1 or follower\$1 or stud\$1 or groove\$2) WITH adjust\$4) SAME ((pin\$1 or follower\$1 or stud\$1) WITH stop\$4) SAME ((outer or inner) NEAR10 (circumference or peripher\$4)) SAME axi\$4 SAME rotat\$7	349
┐	L6	(support\$3 or hold\$3 or ring or barrel\$1 or tub\$4) SAME ((pin\$1 or follower\$1 or stud\$1 or groove\$2) WITH adjust\$4) SAME ((pin\$1 or follower\$1 or stud\$1) WITH stop\$4) SAME ((outer or inner) NEAR10 (circumference or peripher\$4))	818
┐	L5	L4 & L3	286
┐	L4	(support\$3 or hold\$3 or ring or barrel\$1 or tub\$4) SAME ((pin\$1 or follower\$1 or stud\$1 or groove\$2) WITH adjust\$4) SAME ((pin\$1 or follower\$1 or stud\$1) WITH stop\$4) SAME ((outer or inner) NEAR10 (circumference or peripher\$4))	734
┐	L3	(support\$3 or hold\$3 or ring or barrel\$1 or tub\$4) SAME (pin\$1 or follower\$1 or stud\$1) SAME adjust\$4 SAME groove\$2 SAME ((outer or inner) NEAR10 (circumference or peripher\$4))	6771
┐	L2	(support\$3 or hold\$3 or ring or barrel\$1 or tub\$4) SAME ((pin\$1 or follower\$1 or stud\$1 or groove\$2) WITH adjust\$4) SAME ((pin\$1 or follower\$1 or stud\$1) WITH stop\$4)	20804
┐	L1	(support\$3 or hold\$3 or ring or barrel\$1 or tub\$4) SAME (pin\$1 or follower\$1 or stud\$1) SAME adjust\$4 SAME groove\$2	83769

END OF SEARCH HISTORY

10/629,241

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
1	BRS	L1	26	359/694-703,823-826,830.CCLS. and (adjust\$4 WITH (pin\$1 or stud\$1 or follower\$1 or cam\$1 or groove\$2)) SAME (support\$3 or hold\$3 or ring\$1 or tub\$4 or barrel\$1 or cylind\$7) SAME ((outer or inner) NEAR10 (circumference or peripher\$4)) SAME ((stop\$4 or mov\$5) WITH (section\$3 or portion\$1))	USPAT ; EPO; DERWE NT	2007/07/14 12:06	
2	BRS	L2	5	396/72,75,76,80,83,89,106,448,462,535,542.CCLS. and (adjust\$4 WITH (pin\$1 or stud\$1 or follower\$1 or cam\$1 or groove\$2)) SAME (support\$3 or hold\$3 or ring\$1 or tub\$4 or barrel\$1 or cylind\$7) SAME ((outer or inner) NEAR10 (circumference or peripher\$4)) SAME ((stop\$4 or mov\$5) WITH (section\$3 or portion\$1))	USPAT ; EPO; DERWE NT	2007/07/14 12:07	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
3	BRS	L3	3	359/694-703,823-826,830.CCLS. and (adjust\$4 WITH (pin\$1 or stud\$1 or follower\$1 or cam\$1 or groove\$2)) SAME (support\$3 or hold\$3 or ring\$1 or tub\$4 or barrel\$1 or cylind\$7) SAME ((outer or inner) NEAR10 (circumference or peripher\$4)) SAME ((stop\$4 or mov\$5) WITH (section\$3 or portion\$1)).CLM.	USPAT ; EPO; DERWE NT	2007/07/14 12:06	
4	BRS	L4	0	396/72,75,76,80,83,89,106,448,462,535,542.CCLS. and (adjust\$4 WITH (pin\$1 or stud\$1 or follower\$1 or cam\$1 or groove\$2)) SAME (support\$3 or hold\$3 or ring\$1 or tub\$4 or barrel\$1 or cylind\$7) SAME ((outer or inner) NEAR10 (circumference or peripher\$4)) SAME ((stop\$4 or mov\$5) WITH (section\$3 or portion\$1)).CLM.	USPAT ; EPO; DERWE NT	2007/07/14 12:07	